

GENERAL INFORMATION

Guaranteed Analysis

Total Nitrogen (N)1.0%
1% Nitrate Nitrogen
Soluble Potash (K2O).....7.0%
(Derived from potassium nitrate, potassium sulfate and muriate of potash)

NON PLANT FOOD INGREDIENTS

Bio-S-425™ Amino acids..... 1.2%
Polysaccharides..... 1.2%
Organic Acids 0.5%

STERIC K is a water soluble plant food applied for root feeding to provide supplemental nutrition and provide potassium for plant nutrition.

STERIC K is processed with a wetting agent aiding in spray tank wetting and product dispersment and amino acids, biostimulants, soil and petiole penetrants, complexing agents, microbial enhancing agents, antioxidants, and coenzymes.

CONDITION OF SALE

Seller warrants that the product conforms to its chemical description and is reasonable fit for the purpose stated on this label when used in accordance with directions under normal conditions of use. Since weather, crop, soil, and other conditions may vary, Planet Turf, Inc. and/or seller make no warranty of any kind, expressed or implied, concerning the use of this product. The user assumes all risk of use of handling, whether or not in accordance with directions or suggestions.

STERIC K

1-0-7



Planet Turf
10315 E Holman Ave
Spokane, WA 99206
509-921-5421

Net contents: 2.5 gallons (9.46L)
Weight per gallon: 9.88 lbs (4.48kg)

Information regarding the contents and levels of metals in this product is available on the internet at:
<http://www.aapfco.org/metals.htm>

SHAKE WELL BEFORE USING
HARMFUL IF SWALLOWED

APPLICATION INFORMATION

For use on all plants and turfgrass

Maintenance Rates

Soils with CEC of over 20
• 10 gallons per acre every 90 days
Soils with CEC less than 20
• 10 gallons per acre every 45 days

To Correct Deficiencies

• Apply 15 gal per acre as needed for plant response
*Yearly rates for Steric K can total 36 gal per acre per year.

Application Instructions

Apply with sprayer or fertigation with sufficient water for uniform coverage. If spraying with less than 80 gal water per acre, irrigate after application to wash product into soil. Irrigate within 24 hours with enough water to move the product into the root zone.

Yearly rates for Steric K can total 36 gal per acre per year.



Precautionary Statements

Wash face and hands and any exposed skin thoroughly after handling.
If Swallowed: immediately call POISON CENTER or doctor/physician. Rinse mouth.

CAUTION: KEEP OUT OF REACH OF CHILDREN